



DWV Series

Wall or Window Extract Fans




Wall or Window Extract fans – DWV Series


KRÜGER

- DWV series are available in manually operated (M) by internal pull cord and automatic (A) models by switch controller.
- Single phase motor 220-240V, 50 Hz with a fuse as thermal protection and class II insulation.
- Max. ambient operating temperature of 45°C
- Single speed operation for DWV 150.
- Two speed operation for DWV 230 & DWV 300 and reversible.
- Natural ventilation position – shutter open, fan off except for model DWV 150 M.
- Models DWV 230 & 300 incorporate neon lights indicating the mode of operation.

Dimensions




Model	A	B	C	ØD		E		F	G	H	Wt (kg)
				Min.	Max.	Min.	Max.				
DWV 150	230	251	109	187	190	3	25	22	160	150	2.0
DWV 230	300	325	142	259	262	3	25	22	200	185	3.5
DWV 300	368	403	150	327	330	3	25	22	230	220	5.1




Model	ØD		H	L
	Min.	Max.		
DWV 150	187	190	190.9	212.5
DWV 230	259	262	253.4	278.8
DWV 300	327	330	322.5	357.3

Installation in glass or panels (of less than 25mm thickness.)






Installation on walls (up to 300mm thickness.)



Technical Data

Model	Max. Q (m3/h)			Power W	Phase	Hz	Max. Amp	Voltage V	Ins. Cl.	dB (A) at 3m	RPM
	Extract		Intake								
	High speed	Low Speed									
DWV 150 M	225	-	-	32	1	50	0.19	220-240	B	39	1800
DWV 150 A	225	-	-	32	1	50	0.19	220-240	B	39	1800
DWV 230 M	600	472	338	34	1	50	0.15	220-240	B	43/37	1250
DWV 230 A	600	472	338	34	1	50	0.15	220-240	B	43/37	1250
DWV 300 M	1100	750	690	68	1	50	0.30	220-240	B	46/38	1150
DWV 300 A	1100	750	690	68	1	50	0.30	220-240	B	46/38	1150




H: Extraction at high speed
L: Extraction at Low speed
I: Air Intake

ACCESSORIES



CONTROL UNIT 150 (For DWV 150A)

- On/off switch for fan operation
- On/off switch for shutter operation.
- 1 unit can operate up to 5 DWV 150 fans.




CONTROL UNIT 300 (For DWV 230A, DWV 300A)

- Fitted with a selector for different modes of fan operation.
- A reversing switch, fan extract/supply
- 1 unit can operate up to 5 DWV 150 fans.



CONNECTION CABLE (7 core wire)

- For connection of DWV 230A and DWV 300A to the remote control unit 300. (Supplied on 10m rolls as standard)



THREADED ROD SET

- Threaded rods and sleeves for use when installing the DWV fans on the walls from 25mm up to 300mm thick.

THE KRUGER GROUP

• SINGAPORE

KRUGER VENTILATION INDUSTRIES PTE LTD

No. 17, Tuas Avenue 10
Singapore 639141
Tel. +65 68611577 - Fax +65 68613577
Email: mktg@krugerasia.com

• MALAYSIA

KRUVENT INDUSTRIES (M) SDN BHD

Lot 8, Jalan Perusahaan 2 Batu Caves
Industrial Area, 68100 Batu Caves
Selangor
Tel. +603 61888293 - Fax +603 61898843
Email: mktg@kruvent.po.my

• BEIJING

BEIJING KRUGER M&E EQUIPMENTS CO. LTD

No. 1A Fuyuan South Road
Beijing Economical And Technological
Development Area, Beijing China 100176
Tel. +86 10-67881366 - Fax +86 10-67880566
Email: kruger_bj@yahoo.com.cn

• HONG KONG

KRUGER VENTILATION (HONG KONG) LIMITED

Flat B, 9/F, Yeung Yiu Chung (No.8) Industrial Building,
20 Wang Hoi Road, Kowloon, Hong Kong
Tel. +852 22469182 - Fax +852 22469187
Email: cfyau@kruger.com.hk

• WUHAN

WUHAN KRUGER INDUSTRIES CO. LTD

108 Fangjicun, Yangyuan Street
Wuchang, Wuhan, P.R. China 430063
Tel. +86 27- 86718165 - Fax +86 27- 86825719
Email: whkruger@public.wh.hb.cn

• PHILIPPINES

KRUGER VENTILATION INDUSTRIES PHILS. INC

29, South Coast Industrial Estate
Bancal, Carmona, Cavite 4116, Philippines 1773
Tel. +63-2 5208078-80 - Fax +63-2 5208081
Email: mktg@krugerph.com

• INDONESIA

P.T. KRUGERINDO ADHITEKNIK

Ruko Mahkota Mas Blok C No. 20
JL. M.H. Thamrin - Cikokol Tangerang 15117
Tel. +62 21-5543107-8 - Fax +62 21-5543016
Email: kia@krugerindo.co.id

• UNITED KINGDOM

KRUGER VENTILATION (GB) LIMITED

Masbrough Street, Rotherham
South Yorkshire, S60 1ER, United Kingdom
Tel. +44 1709-836611 - Fax +44 1709-836799
Email: gerry@krugervent.co.uk

• SINGAPORE

KRUGER ENGINEERING PTE LTD

No. 17, Tuas Avenue 10
Singapore 639141
Tel. +65 68631191 - Fax +65 68631151
Email: mktg@krugerasia.com

• THAILAND

KRUGER VENTILATION IND. (THAILAND) CO. LTD

1/19 Moo 2 Rama II Rd, Tasai
Mueng Samuthsakorn 74000, Thailand
Tel. +66 34-490164-9/375-6 - Fax +66 34-490170/377
Email: mktg@kruger.co.th

• GUANGZHOU

GUANGZHOU KRUGER M&E INDUSTRIES LTD

No. 1270 Maogang Road, Huangpu
Guangzhou, P.R. China 510700
Tel. +86 20-82287634 - Fax +86 20-82287624
Email: gzkruiger@Public.guangzhou.gd.cn

• SHANGHAI

SHANGHAI KRUGER INDUSTRIES CO. LTD

No. 500 Yuanguo Road, Anting, Jiading,
Shanghai 201814, P.R. China
Tel. +86 21-69573266 - Fax +86 21-69573296
Email: shkruger@online.sh.cn

• TAIPEI

KRUGER VENTILATION (TAIWAN) CO. LTD

No. 157, Ping-an Road, Hengfeng Village,
Da-Yuan Shiang, Taoyuan County 337, Taiwan (ROC)
Tel. +886 3-3859119 - Fax +886 3-3859118
Email: kruger@ms27.hinet.net

• AUSTRALIA

KRUGER VENTILATION (AUSTRALIA) PTY LTD

4 Blackfriar Place, Wetherill Park
SW 2164, Australia
Tel. +61 2-97562008 - Fax +61 2-97560808
Email: auscheng@tig.com.au

• INDIA

KRUGER M&E INDUSTRIES (INDIA) PVT LTD

Pardhy House 1st Floor
Junction of Hanuman Road & MG Road
Vile Parle (East) Mumbai 57
Tel. +91 22-56926095/6/7 - Fax +91 22-56926098
Email: krugerindia@satyam.net.in

• KOREA

NEOMATE TECHNOLOGY & CONCLUTING CO. LTD

#314-1, Ansung B/D, 410-3, Shindonm-Dong,
Kuro-Gu, Seoul, Korea
Tel. +82 2-2679-2052/3 - Fax +82 2-2679-2174
Email: neomatetnc@chol.com