

INDEX

A

Absorption

solar cooling, [A36](#)

Activated carbon adsorption, [A47](#)

Adsorbents

solid, [A47](#)

Adsorption

indoor air cleaning, [A47](#)

Aeration, of farm crops, [A26](#)

Air cleaners, [A33](#), [A47](#)

(*see also* Filters, air)

Air conditioners, [A1](#), [A2](#)

(*see also* Central air conditioning)

residential, [A1](#)

through-the-wall room units, [A1](#)

unitary, [A1](#)

retail stores, [A2](#)

Air conditioning, [A3](#), [A5](#), [A6](#), [A7](#), [A8](#), [A9](#), [A11](#), [A16](#), [A17](#), [A18](#), [A19](#), [A20](#), [A21](#), [A22](#), [A27](#), [A28](#), [A29](#), [A30](#), [A32](#), [A34](#), [A36](#)

(*see also* Central air conditioning)

airports, [A3](#)

arenas, [A5](#)

atriums, [A5](#)

auditoriums, [A5](#)

automobiles, [A11](#)

bus terminals, [A3](#)

clean spaces, [A19](#)

commercial buildings, [A3](#)

computer rooms, [A20](#)

concert halls, [A5](#)

convention centers, [A5](#)

data centers, [A20](#)

dormitories, [A7](#)

educational facilities, [A8](#)

engine test facilities, [A18](#)

exhibition centers, [A5](#)

fairs, [A5](#)

gymnasiums, [A5](#)

health care facilities, [A9](#)

hotels and motels, [A7](#)

houses of worship, [A5](#)

ice rinks, [A5](#)

industrial environments, [A32](#)

kitchens, [A34](#)

laboratories, [A17](#)

mines, [A30](#)

natatoriums, [A6](#)

nuclear facilities, [A29](#)

- office buildings, [A3](#)
- paper products facilities, [A27](#)
- places of assembly, [A5](#)
- power plants, [A28](#)
- printing plants, [A21](#)
- public buildings, [A3](#)
- solar energy systems, [A36](#)
- subway stations, [A16](#)
- telecommunication facilities, [A20](#)
- temporary exhibits, [A5](#)
- textile processing plants, [A22](#)
- theaters, [A5](#)
- transportation centers, [A3](#)
- warehouses, [A3](#)
- wood products facilities, [A27](#)

Aircraft, [A13](#)

- air conditioning, [A13](#)
- air distribution, [A13](#)
- air quality, [A13](#)
- cabin pressurization

- control, [A13](#)
- performance, [A13](#)

- carbon dioxide concentration, [A13](#)
- environmental control system (ECS), [A13](#)

- air-conditioning packs, [A13](#)
- air-cycle machine, [A13](#)
- cabin pressure control, [A13](#)
- design conditions, [A13](#)
- engine bleed air system, [A13](#)
- load determination, [A13](#)
- outdoor air, [A13](#)
- pneumatic system, [A13](#)
- regulations, [A13](#)

- heating, [A13](#)
- humidity, [A13](#)
- oxygen levels, [A13](#)
- ozone concentration, [A13](#)
- ventilation, [A13](#)

Air diffusers

- sound control, [A49](#)
- testing, [A40](#)

Air diffusion

- applications, [A58](#)

Air diffusion performance index (ADPI), [A58](#)

Air distribution, [A2](#), [A5](#), [A13](#), [A14](#), [A17](#), [A22](#), [A25](#), [A32](#), [A34](#), [A40](#), [A43](#), [A48](#), [A49](#), [A58](#)

- aircraft cabins, [A13](#)
- air terminals, [A58](#)
- animal environments, [A25](#)
- applications, [A58](#)
- central system, [A43](#)
- industrial environments, [A32](#)
- isovels, [A58](#)
- kitchen makeup air, [A34](#)
- laboratories, [A17](#)
- mapping, [A58](#)
- occupied zone, [A58](#)

places of assembly, [A5](#)
 retail stores, [A2](#)
 ships, [A14](#)
 systems, [A58](#)

design considerations, [A58](#)
 fully stratified, [A58](#)
 mixed, [A58](#)
 partially mixed, [A58](#)
 rooms, [A58](#)

terminal boxes, [A48](#)
 testing, adjusting, balancing, [A40](#)
 textile processing plants, [A22](#)

Airflow

around buildings

patterns, [A46](#)

clean spaces, [A19](#)
 computer-aided modeling, [A19](#)
 exhaust hoods, [A33](#)
 laminar, [A19](#)
 measurement of, [A40](#)
 non-unidirectional, [A19](#)
 solar energy systems, [A36](#)
 tracking, [Air-Handling Unit Controls](#)
 transport velocity, [A33](#)
 unidirectional, [A19](#)

Air handlers

distribution systems, [A43](#)
 sequencing, [A43](#)
 set point reset, [A43](#)
 sound levels, [A49](#)
 strategies, [A43](#)

Air intakes

design, [A46](#)
 location to avoid contamination, [A46](#)
 vehicular facilities, enclosed, [A16](#)

Airports, air conditioning, [A3](#)

Air quality, [A13](#), [A16](#), [A16](#), [A16](#), [A16](#), [A16](#), [A25](#)

(*see also* Indoor air quality (IAQ))

aircraft cabins, [A13](#)
 animal buildings, [A25](#)
 bus terminals, [A16](#)
 diesel locomotive facilities, [A16](#)
 parking garages, [A16](#)
 road tunnels, [A16](#)
 tollbooths, [A16](#)

Air washers

textile processing plants, [A22](#)
 water treatment, [A50](#)

Algae, control, [A50](#)

Ammonia

in animal environments, [A25](#)

Anchor bolts, seismic restraint, [A56](#)

Anemometers

air devices, [A40](#)

Animal environments

air contaminants

ammonia, [A25](#)

carbon dioxide, [A25](#)

air distribution, [A25](#)

air inlets, [A25](#)

air quality control, [A25](#)

cattle, beef and dairy, [A25](#)

design, [A25](#)

disease control, [A25](#)

evaporative cooling, [A53](#)

fans, [A25](#)

hydrogen sulfide, [A25](#)

insulation, [A25](#)

laboratory conditions, [A17](#), [A25](#)

particulate matter (PM), [A25](#)

poultry, [A25](#)

shades, [A25](#)

swine, [A25](#)

ventilation, [A25](#)

Apartment buildings

service water heating, [A51](#)

ventilation, [A1](#)

Arenas

air conditioning, [A5](#)

smoke control, [A54](#)

Atriums

air conditioning, [A5](#)

smoke control, [A54](#)

Auditoriums, [A5](#)

Automated fault detection and diagnostics (AFDD), [A63](#)

benefits, [A63](#)

controller-embedded, [A63](#)

detection, [A63](#)

diagnosis, [A63](#)

evaluation, [A63](#)

methods, [A63](#)

tools, [A63](#)

Automobiles

engine test facilities, [A18](#)

HVAC, [A11](#)

design factors, [A11](#)

subsystems, [A11](#)

Autopsy rooms, [A10](#)

B

BACnet, [A41](#)

Bacteria

control, [A50](#)

Balancing, [A34](#), [A40](#)

(*see also* Testing, adjusting, and balancing)

air distribution systems, [A40](#)

HVAC systems, [A40](#)

hydronic systems, [A40](#)

kitchen ventilation systems, [A34](#)

steam distribution systems, [A40](#), [A40](#)

temperature controls, [A40](#)

Basements

conditioned, [A45](#)

moisture control, [A45](#)

unconditioned, [A45](#)

Behavior

occupant, [A65](#)

Biocides, control, [A50](#)

Biological safety cabinets, [A17](#)

Biomanufacturing cleanrooms, [A19](#)

Boilers

central

multifamily, [A1](#)

controls, [A43](#), [A48](#)

residential, [A1](#)

service water heating, [A51](#)

water treatment, [A50](#)

blowdown, [A50](#)

Building automation systems (BAS), [Operations and Maintenance](#), [A63](#)

Building energy monitoring, [A42](#)

Building envelopes

air barrier, [A45](#)

requirements, [A45](#)

air intrusion, [A45](#)

air leakage control, [A45](#)

bound water, [A45](#)

building assembly, [A45](#)

building enclosure, [A45](#)

component, [A45](#)

condensation, [A45](#)

convective loop, [A45](#)

dropped ceiling, [A45](#)

durability, [A45](#)

energy conservation, [A45](#)

exfiltration, [A45](#)

existing buildings

changing HVAC equipment in, [A45](#)

envelope modifications in, [A45](#)

face-sealed systems, [A45](#)

fenestration, [A45](#)

foundations, [A45](#)

heat transfer through, [A45](#)

- moisture effects, [A45](#)
- historic buildings, [A45](#)
- hygrothermal design analysis, [A45](#)
- infiltration, [A45](#)
- interstitial spaces, [A45](#)
- interzonal environmental loads, [A45](#)
- moisture content, [A45](#)
- moisture control, [A45](#)
- museums, galleries, archives, and libraries, [A24](#)
- plenum, [A45](#)

- return air, [A45](#)

- rain screen designs, [A45](#)
- roofs, [A45](#)

- insulated sloped assemblies, [A45](#)
 - low-slope assemblies, [A45](#)
 - steep-roof assemblies, [A45](#)
 - vegetated roofing, [A45](#)

- R-value, [A45](#)

- clear-wall, [A45](#)
 - material, [A45](#)
 - system, [A45](#)
 - total, [A45](#)

- sorption, [A45](#)
- surface condensation, [A45](#)
- terminology, [A45](#)
- thermal

- break, [A45](#)
 - bridges, [A45](#)
 - insulation, [A45](#)
 - mass, [A45](#)
 - performance, [A45](#)
 - transmittance, [A45](#)

- U-factor (thermal transmittance), [A45](#)
- vapor

- barrier, continuous, [A45](#)
 - diffusion control, [A45](#)
 - retarder (vapor barrier), [A45](#)

- wall/window interface, [A45](#)
- walls, [A45](#)

- curtain, [A45](#)
 - precast concrete panels, [A45](#)
 - steel-stud, [A45](#)

- water-resistive barrier (WRB), [A45](#)
- wind washing, [A45](#)
- zone method, [A45](#)

- Building information modeling (BIM), [A41](#), [A60](#)
- Building performance simulation (BPS), [A65](#)
- Buildings

- air barrier, [A64](#)
 - airtight duct connections, [A64](#)
 - damp, [A64](#)

- human health, [A64](#)

- dampness risk, [A64](#)

dew point, [A64](#)
drainage plane, [A64](#)
flashing, [A64](#)
moisture, [A64](#)

content, [A64](#)
risk, [A64](#)

mold, [A64](#)
mold-resistant gypsum board, [A64](#)
positive pressure, [A64](#)
problems

causes, [A64](#)
dampness, [A64](#)

sill pans, [A64](#)
vinyl wall covering, [A64](#)
water barrier, [A64](#)

Building thermal mass

precooling, [A43](#)

Buses

garage ventilation, [A16](#)

Bus terminals

air conditioning, [A3](#)
physical configuration, [A16](#)
ventilation

effects of alternative fuel use, [A16](#)
equipment, [A16](#)
operation areas, [A16](#)
platforms, [A16](#)

C

Cafeterias, service water heating, [A51](#)

Carbon dioxide

greenhouse enrichment, [A25](#)
in aircraft cabins, [A13](#)
in animal environments, [A25](#)

Carbon monoxide

analyzers, [A16](#)
parking garages, [A16](#)
road tunnels, [A16](#)
tollbooths, [A16](#)

Cattle, beef and dairy, [A25](#)

Ceilings

sound correction, [A49](#)
sound transmission, [A49](#)

Central air conditioning, [A43](#)
Central plant optimization, [A8](#)
Central plants

hotels and motels, [A7](#)

Central systems

in tall buildings, [A4](#)

acoustical considerations, [A4](#)

economic considerations, [A4](#)

location, [A4](#)

Chemical, biological, radiological, and explosive (CBRE) incidents, [A61](#)

biological events, [A61](#)

chemical agent types, [A61](#)

gases and vapors, [A61](#)

gases and vapors, *corrosive*, [A61](#)

gases and vapors, *toxic*, [A61](#)

incapacitating, [A61](#)

incapacitating, *warfare*, [A61](#)

irritants, [A61](#)

toxic, [A61](#)

toxic, *blister*, [A61](#)

toxic, *blood*, [A61](#)

toxic, *lung-damaging*, [A61](#)

toxic, *nerve*, [A61](#)

chemical events, [A61](#)

chemical warfare agents

incapacitating, [A61](#)

commissioning, [A61](#)

explosive events, [A61](#)

design considerations, [A61](#)

loading description, [A61](#)

loading description, *direct air blast*, [A61](#)

loading description, *free-field blast wave*, [A61](#)

loading description, *quasi-static pressure*, [A61](#)

radiological events, [A61](#)

dispersion, [A61](#)

effects and sources, [A61](#)

facility response, [A61](#)

radiation monitoring, [A61](#)

Chemisorption, [A47](#)

Chilled beams

in tall buildings, [A4](#)

Chilled water (CW)

optimal temperature, [A43](#)

pumping system, [A43](#)

pump sequencing, [A43](#)

reset, [A43](#)

systems

central plant, [A40](#)

heat transfer vs. flow, [A40](#)

testing, adjusting, balancing, [A40](#)

thermal storage, [A50](#)

Chillers

central plants, [A48](#)

control, [A48](#)

- load distribution, [A43](#)
- noise generation, [A49](#)
- optimization, [A48](#)
- sequencing, [A43](#)

Chlorinated polyvinyl chloride (CPVC), [A35](#)

Cinemas, [A5](#)

Clean spaces, [A19](#)

- air filters, [A19](#)
- airflow, [A19](#)
- applications, [A19](#)
- biomanufacturing, [A19](#)
- contaminant control, [A19](#)
- cooling, [A19](#)
- energy conservation, [A19](#)
- fire safety, [A19](#)
- high-bay, [A19](#)
- humidity control, [A19](#)
- makeup air, [A19](#)
- noise control, [A19](#)
- operation, [A19](#)
- particle sources, [A19](#)
- pharmaceutical

- aseptic, [A19](#)
- biomanufacturing, [A19](#)
- contaminant control, [A19](#)
- control and monitoring, [A19](#)
- design, [A19](#)
- isolators, [A19](#)
- nonaseptic, [A19](#)
- unidirectional hoods, [A19](#)

- pressurization, [A19](#)
- process exhaust, [A19](#)
- start-up, [A19](#)
- system sizing and redundancy, [A19](#)
- temperature control, [A19](#)
- terminology, [A19](#)
- testing, [A19](#)
- vibration control, [A19](#)

Coal

- handling facilities, [A28](#)

Coanda effect, [A34](#)

Codes, [A4](#), [A57](#), [A58](#)

- (see also Standards)
- air distribution, [A58](#)
- chilled-beam system, [A58](#)
- electrical, [A57](#)
- tall buildings, [A4](#)

Coils

- air-cooling

- control, [A48](#)
 - on ships, [A14](#)

- air-heating

- electric, [A48](#)
 - shipboard, [A14](#)

Collaborative design, [A60](#)
Collectors, solar, [A36](#)

(see also Solar energy)

Colleges and universities, [A8](#)
Comfort, [A65](#)

(see also Physiological principles, humans)
occupant, [A65](#)
thermal, [A65](#)

Commercial and public buildings, [A3](#)

airports, [A3](#)
bus terminals, [A3](#)
central cooling systems, [A43](#)
cruise terminals, [A3](#)
design concepts, [A3](#)
general design considerations, [A3](#)
kitchen ventilation, [A34](#)
load characteristics, [A3](#)
malls, [A2](#)
office buildings, [A3](#)
retail facilities, [A2](#)
service water heating, [A51](#)
transportation centers, [A3](#)
warehouses, [A3](#)

Commercial kitchen ventilation (CKV), [A34](#)

Commissioning, [A44](#)

acceptance, [A44](#)
basis of design (BOD), [Definitions](#), [A60](#)
certification, [A44](#)
checklist, [Definitions](#)
construction, [Activities](#)
costs, [A44](#)
design, [A44](#), [A48](#)

collaborative, [A60](#)

design review, [Activities](#)
existing buildings, [A44](#)
in integrated building design, [A60](#)
issues log, [Activities](#)
laboratories, [A17](#)
new construction, [A44](#)
objectives, [A44](#)
occupancy and operations, [A44](#)
owner's project requirements (OPR), [Definitions](#), [A60](#)
predesign, [A44](#)
recommissioning, [A44](#)
retrocommissioning, [A44](#)
systems manual, [Definitions](#)
team, [A44](#)
test procedures, [Activities](#)

Compressors

noise generation, [A49](#)

Computer-aided design (CAD), [A19](#)

and integrated design, [A60](#)

Computerized maintenance management system (CMMS), [A60](#)

Computers, [A41](#)

BACnet, [A41](#)
 computational fluid dynamics, [Design Approach](#), [A54](#)
 computer-aided design (CAD), [A19](#)
 design tools

smoke control analysis, [A54](#)
 ventilation, *road tunnel*, [Design Approach](#)

smoke control analysis, [A54](#)
 software, [A41](#)

custom programming, [A41](#)
 development tools, [A41](#)
 readymade, [A41](#)
 road tunnel, [Design Approach](#)

Concert halls, [A5](#)
 Concrete

water heating for, [Sizing Water Heating Applications Using Older Data](#)

Condensate

water treatment, [A50](#)

Constant air volume (CAV)

control, [A43](#)
 supply air temperature reset, [A43](#)
 versus variable air volume (VAV), [A17](#)

Contaminants

clean spaces, [A19](#)
 effects on museum, gallery, archive, library collections, [A24](#)
 gaseous

concentration, indoor, measurement, [A47](#)
 nuclear facilities, [A29](#)
 ozone, [A47](#)
 radon, [A47](#)
 removal, [A47](#)

textile processing, [A22](#)

Control, [A1](#), [A10](#), [Controls](#), [A13](#), [A14](#), [A16](#), [A17](#), [A21](#), [A24](#), [A29](#), [A36](#), [A43](#), [A48](#), [A49](#), [A50](#), [A52](#), [A54](#), [A65](#)

(*see also* Controls, automatic)
 (*see also* Supervisory control)
 (*see also* Controls, automatic\ Supervisory control)
 aircraft cabin pressure, [A13](#)
 air-handling systems, [A43](#)
 automobile air conditioning, [Controls](#)
 boilers, [A43](#)
 central air conditioning, [A43](#)
 chilled-water pumps, [A43](#)
 chillers, [A43](#)
 cooling

tower fans, [A43](#)

fire, [A54](#)
 justice facilities, [A10](#)
 laboratory systems, [A17](#)
 nuclear facilities, [A29](#)
 occupant-centric, [A65](#)
 of museum, galleries, archives, and libraries, [A24](#)
 optimization, [A43](#)

- paper moisture content, [A21](#)
- pipe-tracing systems, [A52](#)
- predictive, [A65](#)
- residential heating and cooling, [A1](#)
- road tunnel ventilation, [A16](#)
- scale, [A50](#)
- ship air conditioning

- merchant, [A14](#)

- solar energy, [A36](#)
- sound, [A49](#)
- thermal storage systems, [A43](#)
- variable-air-volume (VAV) systems, [A43](#)

Controlled-atmosphere (CA) storage

- cold storage for archives, [A24](#)

Control rooms, [A10](#)

- justice facilities, [A10](#)

Controls, automatic, [A40](#), [A48](#), [A65](#)

- (*see also* Control)

- components, [A65](#)

- controllers, [A40](#)

- sensors, [A65](#)

- explosive atmospheres, [A48](#)

- extraordinary incidents, [A48](#)

- mobile applications, [A48](#)

- safety, [A48](#)

- sensors

- location, [A48](#)

- static pressure, [Air-Handling Unit Controls](#)

- testing, [A40](#)

Convention centers, [A5](#)

Coolants, secondary

- brines

- corrosion inhibition, [A50](#)

Coolers

- liquid, [A1](#)

- (*see also* Evaporators)

- residential, [A1](#)

Cooling, [A18](#), [A25](#), [A35](#), [A36](#), [A43](#)

- (*see also* Air conditioning)

- animal environments, [A25](#)

- controls, [A43](#)

- geothermal energy systems, [A35](#)

- greenhouses, [A25](#)

- plant environments, [A25](#)

- radiative, [A36](#)

- solar energy systems, [A36](#)

- water systems

- dynamometers, [A18](#)

Cooling towers

capacity control

- airflow, [A43](#)
- fan sequencing, [A43](#)
- flow modulation, [A43](#)
- variable- vs. fixed-speed fans, [A43](#)

- recommissioning, [A50](#)
- shutdown, [A50](#)
- start-up, [A50](#)
- water treatment, [A50](#)

Corn, drying, [A26](#)

Correctional facilities (see Justice facilities)

Corrosion

- concentration cell corrosion, [A50](#)
- contributing factors, [A50](#)
- control, [A50](#)
 - cathodic protection, [A50](#)
 - coupons, [A50](#)
 - cycles of concentration, [A50](#)
 - in boilers, [A50](#)
 - in cooling towers, [A50](#)
 - in geothermal energy systems, [A35](#)
 - inhibitors, [A50](#)
 - in steam and condensate systems, [A50](#)
 - materials selection, [A50](#)
 - passivation, [A50](#)
 - protective coatings, [A50](#)
- microorganism influence, [A50](#)
- oxygen corrosion, [A50](#)
- service water systems, [A51](#)
- tuberculation, [A50](#)
- types, [A50](#)
- white rust, [A50](#)

Costs, [A17](#), [A38](#), [A52](#)

(see also Economics)

- analysis period, [A38](#)
- economic analysis techniques
 - computer analysis, [A38](#)
 - inflation, [A38](#)
 - internal rate of return, [A38](#)
 - life-cycle cost analyses, [A38](#)
 - payback, [A38](#)
 - present value (worth), [A38](#)
 - savings-to-investment ratio (SIR), [A38](#)
- energy, [A38](#)
- financing alternatives, [A38](#)
 - property assessment for clean energy (PACE), [A38](#)
- inflation, [A38](#)
- interest and discount rate, [A38](#)
- laboratory systems, [A17](#)
- life-cycle, [A38](#)
- maintenance, [A38](#)
- operating
 - actual, [A38](#)

- electrical energy, [A38](#)
- natural gas, [A38](#)
- other fuels, [A38](#)
- snow-melting systems, [A52](#)

owning

- initial cost, [A38](#)
- insurance, [A38](#)
- taxes, [A38](#)

- periodic, [A38](#)
- refrigerant phaseout, [A38](#)

Cotton, drying, [A26](#)

Courthouses, [A10](#)

Courtrooms, [A10](#)

Crawlspaces

- insulation, [A45](#)
- vented vs. unvented, [A45](#)
- wall insulation, [A45](#)

Critical spaces

- data centers, [A20](#), [A43](#)
- forensic labs, [A10](#)
- justice facilities, [A10](#)

Cruise terminals, [A3](#)

D

Dampers

- fire and smoke, [A54](#)
- outdoor air, [Air-Handling Unit Controls](#)
- sound control, [A49](#)
- vehicular facilities, enclosed, [A16](#)

Dampness problems in buildings, [A64](#)

Data centers, [A20](#)

Dehumidification, [A48](#)

- evaporative cooling, [A53](#)
- residential, [A1](#)

Dehumidifiers

- museums, archives, [A24](#)

Dehydration

- farm crops, [A26](#)
- industrial systems for, [A31](#)

Demand control kitchen ventilation (DCKV), [A34](#)

Detection

- occupant, [A65](#)

Dew point, [A64](#)

Diffusers, air, sound control, [A49](#)

Dilution

- smoke, [A54](#)
- ventilation, [A32](#), [A47](#)

Dining halls, in justice facilities, [A10](#)

Dirty bombs (see Chemical, biological, radiological, and explosive (CBRE) incidents)

Disabilities, [A8](#)

Display cases

museums, [A24](#)

District heating and cooling (DHC)

central plants

chiller, [A48](#)

costs, [A38](#)

geothermal heating systems, [A35](#)

Dormitories

air conditioning, [A7](#)

design criteria, [A7](#)

energy systems, [A7](#)

load characteristics, [A7](#)

service water heating, [A51](#)

Dryers, [A26](#), [A31](#)

(*see also* Driers)

commercial and industrial

agitated-bed, [A31](#)

calculations, [A31](#)

conduction, [A31](#)

constant-moisture solvent, [A31](#)

convection, [A31](#)

dielectric, [A31](#)

drying time determination, [A31](#)

flash, [A31](#)

fluidized-bed, [A31](#)

freeze drying, [A31](#)

mechanism, [A31](#)

microwave, [A31](#)

psychrometrics, [A31](#)

radiant infrared, [A31](#)

selection, [A31](#)

superheated vapor, [A31](#)

tunnel, [A31](#)

ultraviolet (UV), [A31](#)

vacuum drying, [A31](#)

farm crops, [A26](#)

Drying

farm crops, [A26](#)

Dual-duct systems

control, [A48](#)

terminal boxes, [A48](#)

Duct connections, [A64](#)

Ducts

acoustical lining, [A49](#)

airflow measurement in, [A40](#)

industrial exhaust systems, [A33](#)

noise in, [A49](#)

road tunnels, [A16](#)

sealing, [A64](#)

security concerns, [A61](#)

ships, [A14](#)
sound

attenuation, [A49](#)

vibration control, [A49](#)

Dynamometers, [A18](#)

E

Earthquakes, seismic-resistant design, [A56](#)

Economic analysis

computer analysis, [A38](#)

inflation, [A38](#)

internal rate of return, [A38](#)

life-cycle cost analyses, [A38](#)

payback, [A38](#)

improved, [A38](#)

simple, [A38](#)

present value (worth), [A38](#)

savings-to-investment ratio (SIR), [A38](#)

Economic performance degradation index (EPDI), [A63](#)

Economics, [A17](#), [A37](#), [A38](#), [A47](#), [A53](#)

(*see also* Costs)

energy management planning, [A37](#)

evaporative cooling, [A53](#)

indoor gaseous contaminant removal, [A47](#)

laboratory systems, [A17](#)

owning and operating costs, [A38](#)

Economizers

control, [A43](#)

kitchen ventilation, [A34](#)

occupant behavior, [A65](#)

Educational facilities, [A8](#)

air conditioning, [A8](#)

disabilities, [A8](#)

service water heating, [Sizing Water Heating Applications Using Older Data](#)

Electricity

billing rates, [A57](#)

building electrical systems, [A57](#)

codes, [A57](#)

costs, [A38](#)

emergency and standby power systems, [A57](#)

generation, on-site, [A38](#)

grid, [A63](#)

motors, [A57](#)

motor starting, [A57](#)

performance, [A57](#)

power quality variations, [A57](#)

principles, [A57](#)

safety, [A57](#)

smart grid, [A63](#)

utility strategies, [A63](#)

voltage, [A57](#)

wiring, [A57](#)

Elevators

in tall buildings, [A4](#)
smoke control, [A54](#)

Enclosed vehicular facilities, [A16](#)

dynamometers, [A18](#)
exhaust, [A18](#)
noise levels, [A18](#)
ventilation, [A18](#)

Energy

audit, [A37](#)
conservation, [A65](#)

building envelopes, [A45](#)
building supervisory control, [A43](#)
clean spaces, [A19](#)
educational facilities, [A8](#)
farm crop drying, [A26](#)
greenhouses, [A25](#)
industrial environments, [A32](#)
kitchen ventilation, [A34](#)
textile processing, [A22](#)

consumption

benchmarking, [A37](#)
building HVAC, control effect on, [A43](#)
emergency reduction, [A37](#)
gaseous contaminant removal, [A47](#)

costs, [A38](#)
emergency use reduction, [A37](#)
estimating

forecasting, [A43](#)

forecasting building needs, [A43](#)
management, [A37](#)

cost control, [Basic Energy and Water Management](#)
emergency energy use reduction, [A37](#)
energy audits, [A37](#)
energy-efficiency measures (EEM), comparing, [A37](#)
implementation, [A37](#)
improving discretionary operations, [A37](#)
resource evaluation, [A37](#)

monitoring, [A42](#)

applications, [A42](#)
data, [A42](#)
design and implementation methodology, [A42](#)
documentation, [A42](#)
planning, [A42](#)
quality assurance, [A42](#)

recovery, [A32](#)

(*see also* Heat recovery)
industrial environments, [A32](#)

savings verification, [A42](#)

Energy and water use and management, [A37](#)

Energy efficiency ratio (EER)

geothermal systems, [A35](#)

Energy savings performance contracting (ESPC), [A38](#)

Energy use benchmarking, [A42](#)

Engines

heat release, [A18](#)

Engine test facilities, [A18](#)

air conditioning, [A18](#)

Environmental control system (ECS), [A13](#)

Equipment vibration, [A49](#)

Evaporative coolers

liquid, [A1](#)

(see *also* Evaporators)

in chillers, [A1](#)

Evaporative cooling, [A53](#)

applications

air cleaning, [A53](#)

animal environments, [A53](#)

commercial, [A53](#)

dehumidification, [A53](#)

gas turbines, [A53](#)

greenhouses, [A25](#), [A53](#)

industrial, *area cooling*, [A53](#)

industrial, *process cooling*, [A53](#)

industrial, *spot cooling*, [A53](#)

laundries, [A53](#)

motors, [A53](#)

power generation facilities, [A53](#)

produce storage, [A53](#)

residential, [A53](#)

wood and paper products facilities, [A53](#)

direct, [A53](#)

economics, [A53](#)

entering air condition, [A53](#)

exhaust requirement, [A53](#)

heat recovery and, [A53](#)

indirect, [A53](#)

psychrometrics, [A53](#)

staged

booster refrigeration, [A53](#)

two-stage (indirect/direct), [A53](#)

water treatment, [A50](#)

Evaporators, [Air-Handling Subsystem Components](#)

(see *also* Coolers, liquid)

automobile air conditioning, [Air-Handling Subsystem Components](#)

Exhaust

animal buildings, [A25](#)

clean spaces, [A19](#)

enclosed vehicular facilities, [A18](#)

industrial environments, [A33](#)

kitchens, [A34](#)
laboratories, [A17](#)

stack height, [A17](#)

stacks

buildings, [A46](#)
design strategies, [A46](#)
exhaust dilution prediction equations, [A46](#)
exhaust velocity, [A46](#)
industrial exhaust systems, [A33](#)
location relative to air intake, [A46](#)
wake downwash, [A46](#)

vehicular facilities, enclosed, [A16](#)

Exhibit buildings, temporary, [A5](#)

Exhibit cases

museums, galleries, archives, and libraries, [A24](#)

Exhibition centers, [A5](#)

smoke control, [A54](#)

Expansion tanks

solar energy systems, [A36](#)

Explosions (see Chemical, biological, radiological, and explosive (CBRE) incidents)

F

Fairs, [A5](#)

Family courts, [A10](#)

Fans

animal environments, [A25](#)
control, [Air-Handling Unit Controls](#)
cooling tower capacity control, [A43](#)
fixed- vs. variable-speed, [A43](#)
industrial exhaust systems, [A33](#)
kitchen exhaust, [A34](#)
selection, [A49](#)
ships, naval surface, [A14](#)
smoke exhaust, [A54](#)
sound level, [A49](#)
unstable operation, [Air-Handling Unit Controls](#)
variable- vs. fixed-speed, [A43](#)
vehicular facilities, enclosed, [A16](#)

Farm crops, drying and storing, [A26](#)

aeration, [A26](#)
dryeration, [A26](#)
drying

combination, [A26](#)
corn, [A26](#)
cotton, [A26](#)
deep-bed, [A26](#)
energy conservation, [A26](#)
equipment, [A26](#)
full-bin, [A26](#)
hay, [A26](#)
layer, [A26](#)
peanuts, [A26](#)

- rice, [A26](#)
- shallow-layer, [A26](#)
- soybeans, [A26](#)
- specific, [A26](#)
- microbial growth, [A26](#)
- recirculation, [A26](#)
- storing

- grain aeration, [A26](#)
- moisture migration, [A26](#)

f-Chart method, sizing heating and cooling systems, [A36](#)

Fenestration, [A45](#)

(see also Windows)

- area, [A45](#)
- building envelopes, [A45](#)
- control of rain entry, [A45](#)
- solar gain, [A45](#)

Filters, air, [A1](#), [A5](#), [A14](#), [A17](#), [A19](#), [A21](#), [A29](#), [A34](#)

(see also Air cleaners)

- clean spaces, [A19](#)
- demisters, [A29](#)
- high-efficiency particulate air (HEPA) filters, [A19](#), [A29](#)
- kitchens, [A34](#)
- laboratories, [A17](#)
- nuclear facilities, [A29](#)
- places of assembly, [A5](#)
- printing plants, [A21](#)
- residential, [A1](#)
- ships, [A14](#)
- ultralow-penetration air (ULPA) filters, [A19](#)

Fire/smoke management

- justice facilities, [A10](#)

Firearm laboratories, [A10](#)

Fire management, [A54](#)

Fire safety

- clean space exhaust systems, [A19](#)
- justice facilities, [A10](#)
- kitchens, [A34](#)
- laboratories, [A17](#)
- nuclear facilities, [A29](#)
- penetration fire stopping, [A54](#)
- smoke control, [A54](#)

Fitness facilities, [A10](#)

(see also Gymnasiums)

- in justice facilities, [A10](#)

Fixture units, [A51](#)

Flowmeters, [A40](#)

- bypass spring impact meters, [A40](#)
- devices, [A40](#)
- orifice plates, [A40](#)
- turbine meters, [A40](#)
- ultrasonic, [A40](#)
- velocity impact meters, [A40](#)
- venturi meters, [A40](#)

Fluid flow

measurement, [A40](#)

Food service

service water heating, [A51](#)

Forced-air systems, residential, [A1](#)

Forensic labs, [A10](#)

autopsy rooms, [A10](#)

critical spaces, [A10](#)

firearm labs, [A10](#)

intake air quality, [A10](#)

Foundations

moisture control, [A45](#)

Fountains, Legionella pneumophila control, [A50](#)

Freeze drying, [A31](#)

Freeze prevention, [A36](#)

(*see also* Freeze protection systems)

solar energy systems, [A36](#)

Freeze protection systems, [A52](#)

Fruits

fresh

apples, storage, [A53](#)

citrus, [A53](#)

Fume hoods, laboratory exhaust, [A17](#)

Fungi

and moisture, [A64](#)

Furnaces

residential, [A1](#)

G

Garages

automotive repair, [A16](#)

bus, [A16](#)

contaminant criteria, [A16](#)

parking, [A3](#), [A16](#)

ventilation

airflow rate, [A16](#)

control, [A16](#)

equipment, [A16](#)

Gases

compressed, storage, [A17](#)

Geothermal energy, [A35](#)

corrosion control, [A35](#)

direct-use systems

cooling, [A35](#)

equipment, [A35](#)

heating, [A35](#)

service water heating, [A35](#)

district heating, [A35](#)
geothermal fluids, [A35](#)

disposal, [A35](#)
temperature, [A35](#)

ground-source heat pump (GSHP) systems, [A35](#)
heat exchangers, [A35](#)
materials performance, [A35](#)
resources, [A35](#)
valves, [A35](#)
water wells

flow rate, [A35](#)
pumps, [A35](#)
terminology, [A35](#)
water quality testing, [A35](#)

Geothermal heat pumps (GHP), [A35](#)
Greenhouses, [A25](#), [A53](#)

(*see also* Plant environments)
evaporative cooling, [A53](#)
plant environments, [A25](#)

Ground-coupled heat pumps (GCHP)

closed-loop ground-source, [A35](#)

Ground-source heat pumps (GSHP), [A35](#)
Groundwater heat pumps (GWHP), [A35](#)
Guard stations, in justice facilities, [A10](#)
Gymnasiums, [A5](#), [A8](#)

H

Hay, drying, [A26](#)
Health

in justice facilities, [A10](#)

Health care facilities, [A9](#)
Health effects, mold, [A64](#)
Heaters

automobiles, [Air-Handling Subsystem Components](#)
hydronic snow melting, [A52](#)
water, [A51](#)

Heat exchangers

geothermal energy systems, [A35](#)
systems

solar energy, [A36](#)

Heat gain, [A17](#), [A18](#)

(*see also* Load calculations)
enclosed vehicular facilities, dynamometers, [A18](#)
laboratories, [A17](#)

Heating

control, [A43](#)
geothermal energy systems, [A35](#)
greenhouses, [A25](#)
infrared

radiant, [A55](#)

places of assembly, [A5](#)

power plants, [A28](#)

residential, [A1](#)

systems

solar energy, [A36](#)

Heating and cooling plants

in justice facilities, [A10](#)

Heat pumps

direct-exchange

ground-coupled (DXGCHP), [A35](#)

ground-source

ground-coupled, [A35](#)

groundwater, [A35](#)

surface water, [A35](#)

terminology, [A35](#)

split systems, [A1](#)

unitary

application, [A1](#)

water heaters, [A51](#)

water-source

groundwater, [A35](#)

groundwater, *indirect systems*, [A35](#)

surface water, [A35](#)

Heat recovery, [A2](#), [A17](#), [A33](#), [A34](#), [A51](#), [A53](#)

(*see also* Energy, recovery)

evaporative cooling, [A53](#)

industrial exhaust systems, [A33](#)

kitchen ventilation, [A34](#)

laboratories, [A17](#)

service water heating, [A51](#)

supermarkets, [A2](#)

Heat stress

index (HSI), [A32](#)

industrial environments, [A32](#)

thermal standards, [A32](#)

Heat transfer, [A35](#), [A36](#), [A52](#)

(*see also* Heat flow)

lakes, [A35](#)

snow-melting systems, [A52](#)

solar energy systems, [A36](#)

Heat traps, [A51](#)

High-efficiency particulate air (HEPA) filters, [A29](#)

High-rise buildings. (*see* Tall buildings)

Homeland security (*see* Chemical, biological, radiological, and explosive (CBRE) incidents)

Hoods

gaseous contaminant removal, [A47](#)

industrial exhaust systems

- canopy hoods, [A33](#)
- capture velocities, [Effectiveness of Local Exhaust](#)
- compound hoods, [A33](#)
- design principles, [A33](#)
- entry loss, [A33](#)
- overhead hoods, [A33](#)
- sidedraft hoods, [A33](#)
- volumetric flow rate, [Effectiveness of Local Exhaust](#)

kitchen exhaust, [A34](#)

- ductless, [A34](#)
- recirculating systems, [A34](#)
- residential, [A34](#)
- type I, [A34](#)
- type II, [A34](#)

laboratory fume, [A17](#)

sound control, [A49](#)

unidirectional, [A19](#)

Hotels and motels, [A7](#)

- accommodations, [A7](#)
- back-of-the-house (BOTH) areas, [A7](#)
- central plant, [A7](#)
- design criteria, [A7](#)
- guest rooms, [A7](#)
- indoor air quality (IAQ), [A7](#)
- load characteristics, [A7](#)
- makeup air units, [A7](#)
- public areas, [A7](#)
- service water heating, showers, [A51](#)
- sound control, [A7](#)
- systems, [A7](#)

Houses of worship, [A5](#)

Humidification

control, [A48](#)

Humidifiers

- Legionella pneumophila control, [A50](#)
- residential, [A1](#)

Humidity, [A48](#)

(see also Moisture)
control, [A48](#)

HVAC security, [A61](#)

- commissioning, [A61](#)
- owner's project requirements (OPR), [A61](#)
- risk evaluation, [A61](#)
- system design, [A61](#)
- design measures, [A61](#)
- maintenance management, [A61](#)
- modes of operation, [A61](#)

Hydronic systems, [A1](#), [A40](#)

(see also Water systems)
central multifamily, [A1](#)
heat transfer vs. flow, [A40](#)

residential, [A1](#)
testing, adjusting, balancing, [A40](#)

I

Ice rinks, [A5](#)

Indoor airflow, [A59](#)

CFD examples, [A59](#)

chilled beam, [A59](#)
data center design, [A59](#)
displacement ventilation, [A59](#)
industrial warehouse, [A59](#)
natural ventilation, [A59](#)
simple office, [A59](#)
viral containment in hospital ward, [A59](#)

computational fluid dynamic (CFD) method, [A59](#)

simulation process, [A59](#)
terminology, [A59](#)

modeling, [A59](#)

considerations, [A59](#)

multizone simulation method, [A59](#)

office building, [A59](#)

Indoor air quality (IAQ), [A7](#), [A47](#)

(*see also* Air quality)
gaseous contaminant removal, [A47](#)
hotels and motels, [A7](#)

Indoor environmental quality (IEQ), kitchens, [A34](#)

(*see also* Air quality)

Indoor swimming pools, [A6](#)

(*see also* Natatoriums)

Industrial applications

service water heating, [Sizing Water Heating Applications Using Older Data](#)
steam generators, [A28](#)

Industrial environments, [A32](#), [A33](#)

air conditioning

spot cooling, [A32](#), [A53](#)
ventilation, [A32](#)

air distribution, [A32](#)

energy

conservation, [A32](#)
recovery, [A32](#)
sustainability, [A32](#)

evaporative cooling, [A53](#)
heat control, [A32](#)
heat exposure control, [A32](#)
heat stress, [A32](#)
local exhaust systems, [A32](#), [A33](#)

- air cleaners, [A33](#)
- airflow near hood, [A33](#)
- air-moving devices, [A33](#)
- ducts, [A33](#)
- energy recovery, [A33](#)
- exhaust stacks, [A33](#)
- fans, [A33](#)
- hoods, [Effectiveness of Local Exhaust](#)
- hot processes, [A33](#)
- operation and maintenance, [A33](#)
- system testing, [A33](#)

- spot cooling, [A32](#)

- ventilation systems, [A32](#)

Industrial exhaust gas cleaning

- gaseous (indoor air)

- adsorbers, [A47](#)
- chemisorbers, [A47](#)
- economics, [A47](#)
- energy consumption, [A47](#)
- environmental effects on, [A47](#)
- installation, [A47](#)
- media selection, [A47](#)
- operation and maintenance, [A47](#)
- safety, [A47](#)
- sizing, [A47](#)
- terminology, [A47](#)
- testing, [A47](#)
- types, [A47](#)

- industrial exhaust systems, [A33](#)

Infrared applications

- drying, [A31](#)

- greenhouse heating, [A25](#)

- snow-melting systems, [A52](#)

Instruments

- flowmeters, [A40](#)

- manometers, [A40](#)

Insulation, thermal

- animal environments, [A25](#)

- foundations, [A45](#)

Intake air quality

- justice facilities, [A10](#)

Integrated building design (IBD), [A60](#)

- design

- intent, [A60](#)

- quality assurance/quality control (QA/QC), [A60](#)

Integrated project delivery (IPD), [A60](#)

Integrated project delivery and building design

- process, [A60](#)

- phase 1–project justification, [A60](#)

- phase 2–project initiation, [A60](#)

phase 3–concept development, [A60](#)
 phase 4–design, [A60](#)
 phase 5–construction preparation, [A60](#)
 phase 6–construction, [A60](#)
 phase 7–owner acceptance, [A60](#)
 phase 8–use, operation, and maintenance, [A60](#)

J

Jails, [A10](#)
 Judges' chambers, [A10](#)
 Jury facilities, [A10](#)
 Justice facilities, [A10](#)

control rooms, [A10](#)
 courthouses, [A10](#)
 courtrooms, [A10](#)
 dining halls, [A10](#)
 energy considerations, [A10](#)
 fire/smoke management, [A10](#)
 firearm laboratories, [A10](#)
 fitness facilities, [A10](#)
 forensic labs, [A10](#)
 guard stations, [A10](#)
 health issues, [A10](#)
 heating and cooling plants, [A10](#)
 jail cells, [A10](#)
 jails, [A10](#)
 judges' chambers, [A10](#)
 jury rooms, [A10](#)
 juvenile, [A10](#)
 kitchens, [A10](#)
 laundries, [A10](#)
 libraries, [A10](#)
 police stations, [A10](#)
 prisons, [A10](#)
 shooting ranges, indoor, [A10](#)
 system controls, [A10](#)
 system requirements, [A10](#)
 tear gas and pepper spray, [A10](#)
 terminology, [A10](#)
 types of, [A10](#)
 U.S. Marshals, [A10](#)

Juvenile detention facilities, [A10](#)

(*see also* Family courts)

K

K-12 schools, [A8](#)
 Kitchens, [A34](#)

air balancing, [A34](#)
 multiple-hood systems, [A34](#)
 air filtration, [A34](#)
 cooking effluent
 control of, [A34](#)
 generation of, [A34](#)
 thermal plume behavior, [A34](#)
 dishwashers, piping, [A51](#)
 energy conservation

- economizers, [A34](#)
- reduced airflow, [A34](#)
- residential hoods, [A34](#)
- restaurants, [A34](#)

- exhaust hoods, [A34](#)

- ductless, [A34](#)
 - recirculating systems, [A34](#)
 - replacement air, [A34](#)
 - residential, [A34](#)
 - systems, [A34](#)
 - type I, [A34](#)
 - type II, [A34](#)

- exhaust systems, [A34](#)

- downdraft, [A34](#)
 - ducts, [A34](#)
 - effluent control, [A34](#)
 - fans, [A34](#)
 - hoods, [A34](#)
 - maintenance, [A34](#)
 - multiple-hood systems, [A34](#)
 - residential, [A34](#)
 - terminations, [A34](#)

- fire safety, [A34](#)

- fire suppression, [A34](#)
 - multiple-hood systems, [A34](#)
 - prevention of fire spread, [A34](#)
 - residential, [A34](#)

- grease removal, [A34](#)
- heat recovery, [A34](#)
- high-performance green design, [A34](#)
- indoor environmental quality (IEQ), [A34](#)
- in justice facilities, [A10](#)
- integration and design, [A34](#)
- maintenance, [A34](#)
- makeup air systems

- air distribution, [A34](#)
 - maintenance, [A34](#)
 - replacement, [A34](#)
 - residential, [A34](#)

- operation, [A34](#)
- replacement air, [A34](#)
- residential, [A34](#)
- service water heating, [A51](#)
- ventilation, [A34](#)

L

- Laboratories, [A17](#)

- air distribution, [A17](#)
 - air filtration, [A17](#)
 - air intakes, [A17](#)
 - animal labs, [A17](#)

- cage environment, [A25](#)
 - ventilation performance, [A25](#)

- biological safety cabinets, [A17](#)

biosafety levels, [A17](#)
clean benches, [A17](#)
cleanrooms, [A19](#)
clinical labs, [A17](#)
commissioning, [A17](#)
compressed gas storage, [A17](#)
containment labs, [A17](#)
controls, [A17](#)
design parameters, [A17](#)
duct leakage rates, [A17](#)
economics, [A17](#)
exhaust devices, [A17](#)
exhaust systems, [A17](#)
fire safety, [A17](#)
fume hoods, [A17](#)

controls, [A17](#)
performance, [A17](#)

hazard assessment, [A17](#)
heat recovery, [A17](#)
loads, [A17](#)
nuclear facilities, [A29](#)
paper testing labs, [A27](#)
radiochemistry labs, [A17](#)
safety, [A17](#)
scale-up labs, [A17](#)
stack heights, [A17](#)
supply air systems, [A17](#)
system maintenance, [A17](#)
system operation, [A17](#)
teaching labs, [A17](#)
types, [A17](#)
ventilation, [A17](#)

Laboratory information management systems (LIMS), [A10](#)

Lakes, heat transfer, [A35](#)

Laminar flow

air, [A19](#)

Laundries

evaporative cooling, [A53](#)
in justice facilities, [A10](#)
service water heating, [Sizing Water Heating Applications Using Older Data](#)

Leakage

ducts, [A64](#)

Legionella pneumophila, [A50](#)

control, [A50](#)
Legionnaires' disease, [A50](#)
service water systems, [A51](#)

Lighting

greenhouses, [A25](#)

LIMS (see Laboratory information management systems (LIMS))

Load calculations

snow-melting systems, [A52](#)

Load collector ratio (LCR), [A36](#)

Local exhaust. See Exhaust, [A32](#)

M

Maintenance, [A2](#), [A17](#), [A34](#), [A36](#), [A38](#), [A40](#), [A47](#)

(*see also* Operation and maintenance)

air conditioners, retail store, [A2](#)

cooking equipment, [A34](#)

costs, [A38](#)

documentation, [A40](#)

gaseous air cleaners, [A47](#)

kitchen ventilation systems, [A34](#)

laboratory HVAC equipment, [A17](#)

manual, [A40](#)

solar energy systems, [A36](#)

staffing, [A40](#)

Makeup air units

controls, [A48](#)

Malls, [A2](#)

Manometers

differential pressure readout, [A40](#)

Manometers, differential pressure readout, [A40](#)

Manufactured homes, [A1](#)

Mass-transit systems

bus garages, [A16](#)

bus terminals, [A16](#)

diesel locomotive facilities, [A16](#)

enclosed vehicular facilities, [A16](#)

rapid transit, [A16](#)

stations, [A16](#)

thermal comfort, [A16](#)

thermal load analysis, [A16](#)

tunnels

railroad, [A16](#)

rapid transit, [A16](#)

subway, [A16](#)

ventilation, [A16](#)

Mean infectious dose (ID50), [A61](#)

Mean lethal dose (LD50), [A61](#)

Measurement, [A40](#), [A42](#), [A47](#)

(*see also* Instruments)

airflow, [A40](#)

fluid flow, [A40](#)

gaseous contaminants, [A47](#)

uncertainty analysis, [A42](#)

Mechanical equipment room, central

central fan room, [A4](#)

floor-by-floor fan room, [A4](#)

floor-by-floor units, [A4](#)

multiple floors, [A4](#)

Megatall buildings, [A4](#)

Mines, [A30](#)

heat sources, [A30](#)

mechanical refrigeration plants, [A30](#)

spot coolers, [A30](#)
ventilation, [A30](#)
wall rock heat flow, [A30](#)

Modeling, [A19](#)

(*see also* Data-driven modeling)
(*see also* Energy, modeling)
airflow, [A19](#)

Model predictive control (MPC), [A65](#)

Moisture, [A26](#), [A64](#)

(*see also* Humidity)
content, [A64](#)
farm crops content, [A26](#)
meters, [A64](#)

Mold, [A64](#)

Mold-resistant gypsum board, [A64](#)

Motors

evaporative cooling, [A53](#)

Movie theaters, [A5](#)

MPC (model predictive control), [A65](#)

Multifamily residences, [A1](#)

Multiple-use complexes

air conditioning, [A7](#)
design criteria, [A7](#)
load characteristics, [A7](#)
systems, [A7](#)

energy inefficient, [A7](#)
total energy, [A7](#)

Museums, galleries, archives, and libraries

air filtration, [A24](#)
artifact deterioration, [A24](#)
building construction, [A24](#)
building envelope, [A24](#)
climate, [A24](#)
dehumidification, [A24](#)
environmental control of, [ZONING](#)
exhibit cases, [A24](#)
humidification, [A24](#)
moisture control, [A24](#)
mold growth, [A24](#)
outdoor air, [A24](#)
planning, [A24](#)
relative humidity, effect on museums, galleries, archives, and library collections, [A24](#)
system selection, [A24](#)
temperature, effect on museums, galleries, archives, and library collections, [A24](#)

N

Natatoriums, [A6](#)

(*see also* Swimming pools)
envelope design, [A6](#)
pool water chemistry, [A6](#)
ventilation requirements, [A6](#)

Net positive suction head (NPSH), [A35](#)

Neutral pressure level (NPL), [A4](#)

Night setback, recovery, [A43](#)

Noise, [A18](#), [A19](#)

(*see also* Sound)

controls, [A19](#)

enclosed vehicular facilities, [A18](#)

NPL. (*see* Neutral pressure level (NPL))

Nuclear facilities, [A29](#)

air filtration, [A29](#)

criticality, [A29](#)

decommissioning, [A29](#)

Department of Energy facilities requirements

confinement systems, [A29](#)

ventilation, [A29](#)

fire protection, [A29](#)

HVAC design considerations, [A29](#)

Nuclear Regulatory Commission requirements

boiling water reactors, [A29](#)

laboratories, [A29](#)

medical and research reactors, [A29](#)

other buildings and rooms, [A29](#)

power plants, [A29](#)

pressurized water reactors, [A29](#)

radioactive waste facilities, [A29](#)

safety design, [A29](#)

terminology, [A29](#)

tornado and wind protection, [A29](#)

Nursing facilities

service water heating, [A51](#)

O

Office buildings

air conditioning, [A3](#)

space requirements, [A3](#)

service water heating, [A51](#)

Oil, fuel

storage buildings, [A28](#)

Operating costs, [A38](#)

Operation and maintenance, [A17](#), [A33](#), [A40](#)

(*see also* Maintenance)

commissioning, [A40](#)

documentation, [A40](#)

industrial exhaust systems, [A33](#)

laboratory HVAC equipment, [A17](#)

manuals, [A40](#)

responsibilities, [A40](#)

staffing, [A40](#)

training, [A40](#)

Optimization, [A43](#)

applications, [A43](#)

dynamic, [A43](#)

static, [A43](#)
Owning costs, [A38](#)
Oxygen
in aircraft cabins, [A13](#)

Ozone

activated carbon air cleaner, [A47](#)
in aircraft cabins
catalytic converters, [A13](#)
limits, [A13](#)

P

Packaged terminal air conditioners (PTACs)

residential, [A1](#)

Packaged terminal heat pumps (PTHPs)

residential, [A1](#)

Paper

moisture content, [A21](#)

Paper products facilities, [A27](#)

air conditioning, [A27](#)
conduction drying, [A31](#)
control rooms, [A27](#)
evaporative cooling, [A53](#)
finishing area, [A27](#)
machine area, [A27](#)
system selection, [A27](#)
testing laboratories, [A27](#)

Peak dew point, [A64](#)

Peanuts, drying, [A26](#)

Performance contracting, [A42](#)

Pharmaceutical manufacturing cleanrooms, [A19](#)

Piping, [A35](#), [A36](#), [A40](#), [A49](#), [A51](#)

(*see also* Pipes)

geothermal energy systems, [A35](#)

service hot water, [A51](#)

solar energy, [A36](#)

sound

control, [A49](#)
transmission, [A40](#)

systems

solar energy, [A36](#)

vibration control, [A49](#)

vibration transmission, [A40](#)

Pitot tubes, [A40](#)

Places of assembly, [A5](#)

air conditioning, [A5](#)
air distribution, [A5](#)
air filtration, [A5](#)

- air stratification, [A5](#)
- arenas, [A5](#)
- atriums, [A5](#)
- auditoriums, [A5](#)
- concert halls, [A5](#)
- convention centers, [A5](#)
- exhibition centers, [A5](#)
- fairs, [A5](#)
- gymnasiums, [A5](#)
- houses of worship, [A5](#)
- lighting loads, [A5](#)
- mechanical equipment rooms, [A5](#)
- movie theaters, [A5](#)
- playhouses, [A5](#)
- precooling, [A5](#)
- sound control, [A5](#)
- space conditions, [A5](#)
- stadiums, [A5](#)
- temporary exhibit buildings, [A5](#)
- vibration control, [A5](#)

Plant environments, [A25](#)

- greenhouses, [A25](#)

- carbon dioxide enrichment, [A25](#)
- cooling, [A25](#)
- energy conservation, [A25](#)
- evaporative cooling, [A25](#)
- heating, [A25](#)
- heat loss calculation, [A25](#)
- humidity control, [A25](#)
- photoperiod control, [A25](#)
- shading, [A25](#)
- site selection, [A25](#)
- supplemental irradiance, [A25](#)
- ventilation, [A25](#)

- other facilities, [A25](#)
- photoperiod control, [A25](#)
- phytotrons, [A25](#)
- supplemental irradiance, [A25](#)
- ventilation, [A25](#)

Plenums

- sound attenuation, [A49](#)
- stratification in, [A40](#)

Police stations, [A10](#)

Pollution

- effects on museum, gallery, archive, library collections, [A24](#)

Positive building pressure, [A64](#)

Potatoes

- storage, [A53](#)

Poultry, [A25](#)

- (*see also* Animal environments)
- recommended environment, [A25](#)

Power grid, [A63](#)

Power plants, [A28](#)

- buildings

- oil pump, [A28](#)
- oil storage, [A28](#)
- steam generator, [A28](#)
- turbine generator, [A28](#)

- coal-handling facilities, [A28](#)
- combustion turbine areas, [A28](#)
- control center, [A28](#)
- cooling, [A28](#)
- design criteria, [A28](#)
- dust collectors, [A28](#)
- evaporative cooling, [A53](#)
- heating, [A28](#)
- safety, [A28](#)
- substations, [A28](#)
- switchyard control structures, [A28](#)
- ventilation, [A28](#)

- rates, [A28](#)

Precooling

- buildings, [A43](#)
- indirect evaporative, [A53](#)
- places of assembly, [A5](#)

Preschools, [A8](#)

Pressure

- aircraft cabins, [A13](#)
- clean spaces, [A19](#)
- differential
 - conversion to head, [A40](#)
 - readout, [A40](#)
- measurement, [A40](#)
- smoke control, [A54](#)
 - stairwells, [A54](#)
- static control, [Air-Handling Unit Controls](#)

Printing plants, [A21](#)

- air conditioning, [A21](#)
 - air filtration, [A21](#)
 - binding areas, [A21](#)
 - collotype printing rooms, [A21](#)
 - letterpress areas, [A21](#)
 - lithographic pressrooms, [A21](#)
 - paper moisture content control, [A21](#)
 - platemaking rooms, [A21](#)
 - relief printing areas, [A21](#)
 - rotogravure pressrooms, [A21](#)
 - salvage systems, [A21](#)
 - shipping areas, [A21](#)
- ink drying, [A31](#)

Prisons, [A10](#)

Property assessment for clean energy (PACE), [A38](#)

Psychrometrics

- evaporative cooling systems, [A53](#)
- industrial drying, [A31](#)

Pumps

as fluid flow indicators, [A40](#)
chilled-water, [A43](#)

sequencing, [A43](#)

condenser water, [A43](#)
geothermal wells, [A35](#)

lineshaft, [A35](#)
submersible, [A35](#)

solar energy systems, [A36](#)
variable-speed, [A43](#)

R

Radiant heating and cooling, [A48](#), [A52](#), [A55](#)

(see also Panel heating and cooling)
control, [A48](#)
panels

control, [A48](#)

snow-melting systems, [A52](#)

Radiation

atmospheric, [A36](#)
solar, [A36](#)

Radon

removal, [A47](#)

Railroad tunnels, ventilation

design, [A16](#)
diesel locomotive facilities, [A16](#)
equipment, [A16](#)
locomotive cooling requirements, [A16](#)
tunnel aerodynamics, [A16](#)
tunnel purge, [A16](#)

Refrigerant control devices

automobile air conditioning, [Controls](#)

Refrigerants

automobile air conditioning, [Components](#)
phaseout, costs, [A38](#)

Refrigeration, [A51](#)

(see also Absorption)
(see also Adsorption)
heat reclaim, service water heating, [A51](#)

Refrigerators

retail food store

display, [A2](#)

Residential systems, [A1](#)

dehumidifiers, [A1](#)
equipment sizing, [A1](#)

heating and cooling systems, [A1](#)
 kitchen ventilation, [A34](#)
 water heating, [A51](#)

Restaurants

energy conservation, [A34](#)
 kitchen ventilation, [A34](#)
 service water heating, [A51](#)

Retail facilities, [A2](#)

air conditioning, [A2](#)
 convenience centers, [A2](#)
 department stores, [A2](#)
 design considerations, [A2](#)
 discount and big-box stores, [A2](#)
 load determination, [A2](#)
 malls, [A2](#)
 multiple-use complexes, [A2](#)
 shopping centers, [A2](#)
 small stores, [A2](#)
 supermarkets, [A2](#)

 service water heating, [A51](#)

Retrofit performance monitoring, [A42](#)

Rice, drying, [A26](#)

Road tunnels, [A16](#)

carbon monoxide

allowable concentrations, [A16](#)
 analyzers and recorders, [A16](#)

computer analysis, [Design Approach](#)

vehicle emissions, [A16](#)

ventilation

air quantities, [A16](#)
 computer analysis, [Design Approach](#)
 controls, [A16](#)
 ducts, [A16](#)
 emergency, [Tunnel Ventilation Concepts](#)
 emergency, *air quantities*, [A16](#)
 enclosed facility, [A16](#)
 enhancements, [A16](#)
 equipment, [A16](#)
 hybrid, [A16](#)
 mechanical, [A16](#)
 natural, [A16](#)
 normal air quantities, [A16](#)
 normal conditions, [Tunnel Ventilation Concepts](#)
 pressure evaluation, [A16](#)
 temporary, [Tunnel Ventilation Concepts](#)

Room air distribution, [A58](#)

air terminals, [A58](#)
 chilled beams, [A58](#)
 classification, [A58](#)
 fully stratified, [A58](#)
 mixed, [A58](#)
 occupant comfort, [A58](#)
 occupied zone, [A58](#)
 partially mixed, [A58](#)

S

Safety

- air cleaners, [A47](#)
- automatic controls, [A48](#)
- electrical, [A57](#)
- nuclear facilities, [A29](#)
- service water heating, [A51](#)
- solar energy systems, [A36](#)
- UVGI systems, [A62](#)

Savings-to-investment ratio (SIR), [A38](#)

Savings-to-investment-ratio (SIR), [A38](#)

Scale

- control, [A50](#)
- service water systems, [A51](#)
- water treatment, [A50](#)
- scaling indices, [A50](#)

Schools

- air conditioning, [A8](#)
- service water heating, [Sizing Water Heating Applications Using Older Data](#)
- elementary, [A51](#)
- high schools, [A51](#)

Seeds, storage, [A26](#)

Seismic restraint, [A49](#), [A56](#)

- anchor bolts, [A56](#)
- design, [A56](#)
- design calculations
 - examples, [A56](#)
 - static analysis, [A56](#)
- dynamic analysis, [A56](#)
- installation problems, [A56](#)
- terminology, [A56](#)
- weld capacities, [A56](#)

Sensors

- location, [A48](#)

Service water heating, [A51](#)

- commercial and institutional, [A51](#)
- corrosion, [A51](#)
- design considerations, [A51](#)
- distribution system
 - for commercial kitchens, [A51](#)
 - manifolding, [A51](#)
 - piping, [A51](#)
 - pressure differential, [A51](#)
 - return pump sizing, [A51](#)
 - two-temperature service, [A51](#)
- geothermal energy, [A35](#)
- indirect, [A51](#)
- industrial, [Sizing Water Heating Applications Using Older Data](#)
- Legionella pneumophila, [A51](#)
- requirements, [A51](#)
- residential, [A51](#)
- safety, [A51](#)

scale, [A51](#)

sizing water heaters

instantaneous and semi-instantaneous, [A51](#)

storage heaters, [A51](#)

solar energy, [A36](#), [A51](#)

system planning, [A51](#)

water heating equipment

placement, [A51](#)

sizing, [A51](#)

types, [A51](#)

water quality, [A51](#)

Set points, [A65](#)

Ships

air conditioning

air distribution, [A14](#)

controls, [A14](#)

design criteria, [A14](#)

equipment selection, [A14](#)

systems, [A14](#)

coils, [A14](#)

ducts, [A14](#)

merchant, [A14](#)

naval surface, [A14](#)

regulatory agencies, [A14](#)

Shooting ranges, indoor, [A10](#)

Slab heating, [A52](#)

Slab-on-grade foundations, [A45](#)

Smart building systems, [A63](#)

actuators, [A63](#)

diagnostics, [A63](#)

levels of intelligence, [A63](#)

Smart grid, [A63](#)

basics, [A63](#)

interconnections, [A63](#)

sensors, [A63](#)

strategy, [A63](#)

Smoke control, [A54](#)

acceptance testing, [A54](#)

atriums, [A54](#)

commissioning, [A54](#)

compartmentation, [A54](#)

computer analysis, [A54](#)

design fires, [A54](#)

dilution, [A54](#)

extraordinary incidents, [A54](#)

fire and smoke dampers, [A54](#)

fire management, [A54](#)

pressurization, [A54](#)

rapid-transit systems, [A16](#)

road tunnels, [A16](#)

smoke movement, [A54](#)

buoyancy, [A54](#)

elevator piston effect, [A54](#)

expansion, [A54](#)

- forced ventilation, [A54](#)
- stack effect, [A54](#)
- wind, [A54](#)
- stairwells
 - analysis, [A54](#)
 - compartmentation, [A54](#)
 - open doors, [A54](#)
 - pressurized, [A54](#)
- tenability systems, [A54](#)
- testing, [A54](#)
- weather data, [A54](#)
- zones, [A54](#)
- Snow-melting systems, [A52](#)
 - back and edge heat losses, [A52](#)
 - electric system design
 - constant wattage systems, [A52](#)
 - gutters and downspouts, [A52](#)
 - heat flux, *idling*, [A52](#)
 - infrared systems, [A52](#)
 - installation, [A52](#)
 - free area ratio, [A52](#)
 - freeze protection systems, [A52](#)
 - heat balance, [A52](#)
 - heating requirement
 - annual operating data, [A52](#)
 - heat flux equations, [A52](#)
 - hydronic and electric, [A52](#)
 - load frequencies, [A52](#)
 - surface size, [A52](#)
 - transient heat flux, [A52](#)
 - weather data, [A52](#)
 - wind speed, [A52](#)
- hydronic system design
 - fluid heater, [A52](#)
- slab design, hydronic and electric, [A52](#)
- Snubbers, seismic, [A56](#)
- Software, [A65](#)
 - AFDD, [A63](#)
 - custom programming, [A41](#)
 - road tunnel, [Design Approach](#)
- Solar energy, [A1](#), [A36](#), [A51](#)
 - (*see also* Solar heat gain)
 - (*see also* Solar radiation)
 - active systems, [A36](#)
 - airflow, [A36](#)
 - collectors, [A36](#)
 - concentrating, [A36](#)
 - design and installation, [A36](#)
 - efficiency, [A36](#)
 - mounting, [A36](#)
 - performance, [A36](#)
 - combi systems, [A36](#)
 - control, [A36](#)

cooling systems, [A36](#)

absorption refrigeration, [A36](#)

sizing, [A36](#)

types, [A36](#)

design, installation, operation checklist, [A36](#)

design values, solar irradiation, [A36](#)

domestic hot water, [A36](#)

f-Chart method, [A36](#)

freeze protection, [A36](#)

heat exchangers, [A36](#)

heating systems, [A36](#)

active, [A36](#)

components, [A36](#)

control, [A36](#)

direct circulation, [A36](#)

hybrid, [A36](#)

indirect, [A36](#)

integral collector storage systems, [A36](#)

passive, [A36](#)

pool heating, [A36](#)

recirculation, [A36](#)

residential, [A1](#)

sizing, [A36](#)

thermosiphon, [A36](#)

hybrid systems, [A36](#)

hydraulics, [A36](#)

installation, [A36](#)

irradiation, [A36](#)

maintenance, [A36](#)

overheat protection, [A36](#)

passive systems, [A36](#)

photovoltaic (PV) systems, [A36](#)

quality and quantity, [A36](#)

radiation at earth's surface, [A36](#)

radiative cooling, [A36](#)

safety, [A36](#)

service water heating systems, [A36](#), [A51](#)

sizing heating and cooling systems, [A36](#)

solar angles, [A36](#)

solar time, [A36](#)

spectrum, [A36](#)

start-up procedure, [A36](#)

thermal storage systems, [A36](#)

time, [A36](#)

uses, [A36](#)

Solar-load ratio (SLR), [A36](#)

Solvent drying, constant-moisture, [A31](#)

Sound, [A5](#), [A7](#), [A10](#), [A18](#), [A19](#), [A40](#), [A49](#)

(see also Noise)

acoustical design of HVAC systems, [A49](#)

attenuators, [A49](#)

barriers, [A49](#)

ceiling sound transmission, [A49](#)

chillers, [A49](#)

clean spaces, [A19](#)

compressors, [A49](#)

control, [A5](#), [A7](#), [A10](#), [A18](#), [A19](#), [A40](#), [A49](#)

data reliability, [A49](#)

design, [A49](#)

ducts, [A49](#)

sound attenuation, [A49](#)

equipment sound levels, [A49](#)

fans, [A49](#)

fume hood duct design, [A49](#)

hotels and motels, [A7](#)

insertion loss, [A49](#)

justice facilities, [A10](#)

measurement

instrumentation, [A40](#)

mechanical equipment rooms, [A49](#)

outdoor equipment, [A49](#)

pipng, [A49](#)

places of assembly, [A5](#)

return air system sound transmission, [A49](#)

rooftop air handlers, [A49](#)

room sound correction, [A49](#)

sound control, [A49](#)

testing, [A40](#)

transmission, [A40](#)

troubleshooting, [A40](#)

variable-air-volume (VAV) systems, [A49](#)

Soybeans, drying, [A26](#)

Spot cooling

evaporative, [A53](#)

industrial environments, [A32](#), [A53](#)

mines, [A30](#)

Stack effect

in tall buildings, [A4](#)

smoke movement, [A54](#)

Stadiums, [A5](#)

Stairwells

smoke control, [A54](#)

Standards, [A4](#), [A57](#), [A58](#)

(see also Codes)

air distribution, [A58](#)

chilled-beam system, [A58](#)

electrical, [A57](#)

tall buildings, [A4](#)

Steam

distribution systems

testing, adjusting, balancing, [A40](#)

testing, adjusting, balancing, [A40](#)

Steam systems

generator buildings, [A28](#)

heating, [A50](#)

Storage

apples, [A53](#)

citrus, [A53](#)

compressed gases, [A17](#)

farm crops, [A26](#)

- potatoes, [A53](#)
- seeds, [A26](#)
- wood products, [A27](#)

Stratification

- of air

- in places of assembly, [A5](#)
 - in plenums, [A40](#)

Subway environment simulation (SES) program, [Design Approach](#)

Subway systems, [A16](#)

- (*see also* Mass-transit systems)

- station air conditioning, [A16](#)

- ventilation, [A16](#)

Supertall buildings, [A4](#)

Supervisory control, [A43](#)

- air-handling systems, [Air-Handling Unit Controls](#)

- air distribution, [A43](#)

- sequencing, [A43](#)

- set point reset, [A43](#)

- boilers, [A43](#), [A48](#)

- building automation systems (BASs), [A48](#)

- building pressurization, [Air-Handling Unit Controls](#)

- building temperature set point

- night setback recovery, [A43](#)

- precooling, [A43](#)

- bus terminal ventilation, [A16](#)

- chilled beams, [A48](#)

- chilled-water pumps, [A43](#)

- chillers, [A48](#)

- load distribution, [A43](#)

- sequencing, [A43](#)

cooling

- coils, [A48](#)

- towers, [A48](#)

cooling tower fans, [A43](#)

cool thermal storage systems, [A43](#)

- ice storage control optimization, [Cooling Systems with Discrete Storage](#)

corrosion, [A50](#)

demand-controlled ventilation (DCV), [Air-Handling Unit Controls](#)

design principles

- controlled area size, [A48](#)

- load matching, [A48](#)

- sensor location, [A48](#)

- system selection, [A48](#)

direct expansion (DX), [A48](#)

economizers, [Air-Handling Unit Controls](#)

fans, [Air-Handling Unit Controls](#)

forecasting energy requirements, [A43](#)

freezestat, [A48](#)

functional performance testing (FPT), [A48](#)

heat exchangers, [A48](#)

- heating coils, [A48](#)
- heat pumps, [A48](#)
- humidity, [A48](#)
- induction VAV terminals, [A48](#)
- makeup air units, [A48](#)
- morning warm-up, [A48](#)
- optimization methods, [A43](#)
- outdoor air quantity, [Air-Handling Unit Controls](#)
- parking garage ventilation, [A16](#)
- performance monitoring, [A48](#)
- pneumatic, [A48](#)
- pressurization, [Air-Handling Unit Controls](#)
- radiant panels, [A48](#)
- radioactivity, [A29](#)
- return fan, [Air-Handling Unit Controls](#)
- sequence of operation, [A48](#)
- ship air conditioning

- naval surface, [A14](#)

- smoke, [A54](#)
- solid-state, [A48](#)
- static pressure, and variable flow rates, [Air-Handling Unit Controls](#)
- steam coils, [A48](#)
- system selection, [A48](#)
- terminal units, [A48](#)
- unit ventilators, [A48](#)
- variable-air-volume (VAV) systems, [Air-Handling Unit Controls](#)
- ventilation reset control (VRC), [Air-Handling Unit Controls](#)
- vibration, [A49](#)

Surface transportation

- automobiles, [A11](#)

Surface water heat pump (SWHP), [A35](#)

Swimming pools, [A6](#), [A36](#), [Sizing Water Heating Applications Using Older Data](#)

(see also Natatoriums)

- solar heating, [A36](#)

- water chemistry, [A6](#)

- water heating for, [Sizing Water Heating Applications Using Older Data](#)

Swine, recommended environment, [A25](#)

T

Tall buildings, [A4](#)

- chilled beams, [A4](#)
- codes, [A4](#)
- HVAC design process, [A4](#)
- hydrostatic considerations, [A4](#)
- life safety, [A4](#)
- low-temperature air VAV systems, [A4](#)
- megatall buildings, [A4](#)
- neutral pressure level (NPL), [A4](#)
- refrigeration machine location, [A4](#)
- reverse stack effect, [A4](#)
- stack effect, [A4](#)

- elevator doors, [A4](#)
- heating problems, [A4](#)
- manual doors, [A4](#)
- minimizing, [A4](#)
- smoke and odor propagation, [A4](#)

- standards, [A4](#)
- static head, [A4](#)
- supertall buildings, [A4](#)
- system selection, [A4](#)
- underfloor air distribution (UFAD) systems, [A4](#)
- vertical transportation, [A4](#)
- water distribution systems, [A4](#)

Telecommunication facilities, air-conditioning systems, [A20](#)

Temperature

- effective, [A53](#)

Terminal units, [A48](#), [A49](#)

- (*see also* Air terminal units (ATUs))
- boxes

- reheat, [A48](#)
 - variable-air-volume (VAV), [A49](#)

- induction, [A48](#)

Terrorism (*see* Chemical, biological, radiological, and explosive (CBRE) incidents)

Testing

- air cleaners, [A47](#)
- clean spaces, [A19](#)
- cooling towers, [A40](#)
- industrial exhaust systems, [A33](#)
- smoke control systems, [A54](#)
- sound

- instrumentation, [A40](#)
 - procedure, [A40](#)
 - transmission problems, [A40](#)

vibration

- equipment, [A40](#)
 - instrumentation, [A40](#)
 - isolators, [A40](#), [Vibration Problems](#)
 - pipng transmission, [A40](#)
 - procedure, [A40](#)

Testing, adjusting, and balancing, [A40](#)

- (*see also* Balancing)

- air diffusers, [A40](#)
- air distribution systems, [A40](#)

- reporting results, [A40](#)

- airflow measurement, [A40](#)
- central plant chilled-water systems, [A40](#)
- cooling towers, [A40](#)
- design considerations, [A40](#)
- fluid flow measurement, [A40](#)

- differential pressure readout, [A40](#)

- HVAC systems, [A40](#)
- hydronic systems, [A40](#)

- heat transfer vs. flow, [A40](#)
 - water-side balancing, *instrumentation*, [A40](#)
 - water-side balancing, *proportional method*, [A40](#)
 - water-side balancing, *rated differential method*, [A40](#)
 - water-side balancing, *sizing balancing valves*, [A40](#)

water-side balancing, *temperature difference method*, [A40](#)
water-side balancing, *total heat transfer method*, [A40](#)

instruments, [A40](#)
sound transmission problems, [A40](#)
steam distribution systems, [A40](#), [A40](#)
temperature controls, [A40](#)
terminology, [A40](#)
variable-air-volume (VAV) systems, [A40](#)

Textile processing plants, [A22](#)

air conditioning design

air cleaning, [A22](#)
air distribution, [A22](#)
collector systems, [A22](#)
health considerations, [A22](#)

energy conservation, [A22](#)
fabric making, [A22](#)
fiber making, [A22](#)
yarn making, [A22](#)

Theaters, [A5](#)

Thermal energy storage (TES)

controls

strategies, [A43](#)

cool storage, [A43](#)
ice storage

charging and discharging, [A43](#)
control optimization, [Cooling Systems with Discrete Storage](#)

solar energy systems, [A36](#)

Thermally activated building systems (TABS), [A43](#)

Thermosiphons

solar energy systems, [A36](#)

Thermostats

location, [A48](#)

Tobacco smoke

contaminants, [A47](#)

Tollbooths

air quality criteria, [A16](#)
ventilation, [A16](#)

Transportation centers

commercial and public buildings, [A3](#)
ventilation, [A16](#)

Tunnels, vehicular, [A16](#)

fires, [A16](#)
railroad, [A16](#)
rapid transit, [A16](#)
road, [A16](#)

Turbines

enclosed vehicular facilities, gas, [A18](#)
gas

evaporative cooling, [A53](#)

U

U.S. Marshal spaces, [A10](#)
Ultraviolet (UV) lamp systems

in-duct, [A62](#)
lamps, [A62](#)

maintenance, [A62](#)

surface disinfection, [A62](#)
upper-air, [A62](#)

Ultraviolet air and surface treatment, [A62](#)
Ultraviolet germicidal irradiation (UVGI), [A62](#)

(*see also* Ultraviolet (UV) lamp systems)
terminology, [A62](#)

Uncertainty analysis

measurement, [A42](#)
statistical regression, [A42](#)

Underfloor air distribution (UFAD) systems, [A4](#), [A58](#)
Utility rates, [A63](#)

demand response, [A63](#)

UV (*see* Ultraviolet (UV) lamp systems)

V

Valves, [A35](#), [A36](#), [A40](#)

(*see also* Regulators)
balancing

sizing, [A40](#)

geothermal energy, [A35](#)
solar energy systems, [A36](#)

Variable-air-volume (VAV) systems

control, [A43](#)
duct static pressure control, [Air-Handling Unit Controls](#)
fan

selection, [A49](#)
sequencing, [Air-Handling Unit Controls](#)
unstable operation, [Air-Handling Unit Controls](#)

museums, galleries, archives, and libraries, [A24](#)
sound control, [A49](#)
static pressure reset, [A43](#)
terminal boxes, [A48](#), [A49](#)
versus constant air volume (CAV), [A17](#)

Ventilation

aircraft, [A13](#)
animal environments, [A25](#)

bus garages, [A16](#)
 bus terminals, [A16](#)
 dilution, [A32](#), [A47](#)
 engine test facilities, [A18](#)
 gaseous contaminant removal, [A47](#)
 health care facilities, [A9](#)
 industrial environments, [A32](#)

exhaust systems, [A33](#)

kitchens, [A34](#)
 laboratories, [A17](#)
 mines, [A30](#)
 natatoriums, [A6](#)
 nuclear facilities, [A29](#)
 power plants, [A28](#)
 railroad tunnels, [A16](#)
 rapid-transit systems, [A16](#)
 road tunnels, [A16](#)
 roof ventilators, [A32](#)
 security concerns, [A61](#)
 ships, [Load Calculations](#)
 shooting ranges, indoor, [A10](#)
 tear gas and pepper spray, [A10](#)
 tollbooths, [A16](#)

Ventilation, plant environments, [A25](#)

Ventilators

roof, [A32](#)
 unit

control, [A48](#)

Vibration

control, [A49](#)

clean spaces, [A19](#)
 criteria, [A49](#)
 data reliability, [A49](#)
 ducts, [A49](#)
 equipment vibration, [A40](#)
 equipment vibration, *analysis*, [A40](#)
 floor flexibility, [Vibration Problems](#)
 isolators, *noise*, [A49](#)
 isolators, *resonance*, [Vibration Problems](#)
 isolators, *specifications*, [A49](#)
 isolators, *testing*, [A40](#)
 piping, *connectors*, [A49](#)
 piping, *noise*, [A49](#)
 piping, *resilient hangers and supports*, [A49](#)
 places of assembly, [A5](#)
 resonance, [Vibration Problems](#)
 seismic restraint, [A49](#), [A56](#)
 troubleshooting, [A40](#), [A49](#)

measurement

instrumentation, [A40](#)

testing, [A40](#)

Virgin rock temperature (VRT), and heat release rate, [A30](#)

Voltage, [A57](#)

W

Warehouses, [A3](#)

Water

activity, [A64](#)
alkalinity, [A50](#)
anion, [A50](#)
anode, [A50](#)
biological growth, [A50](#)
cathode, [A50](#)
cation, [A50](#)
corrosion, [A50](#)
electrolyte, [A50](#)
filtration, [A50](#)
fungi, [A64](#)
galvanic corrosion, [A50](#)
hardness, [A50](#)
heating

geothermal energy systems, [A35](#)
solar energy systems, [A36](#)

inhibitor, [A50](#)
ion, [A50](#)
Legionnaires' disease, [A50](#)
passivity, [A50](#)
properties, [A50](#)
sludge, [A50](#)
treatment, [A50](#)
tuberculation, [A50](#)

Water heaters

blending injection, [A51](#)
boilers (indirect), [A51](#)
circulating tank, [A51](#)
combination, [A51](#)
electric, [A51](#)
gas-fired, [A51](#)
indirect, [A51](#)
instantaneous, [A51](#)
oil-fired, [A51](#)
placement, [A51](#)
refrigeration heat reclaim, [A51](#)
semi-instantaneous, [A51](#)
sizing, [A51](#)
solar energy, [A51](#)
storage, [A51](#)
terminology, [A51](#)
usable hot-water storage, [A51](#)
waste heat recovery, [A51](#)

Water systems

in tall buildings, [A4](#)

Water treatment, [A50](#)

air washers, [A50](#)
biological control, [A50](#)

Legionella pneumophila, [A50](#)

boilers, [A50](#)
brine systems, [A50](#)
cooling towers, [A50](#)
corrosion control, [A50](#)
fundamentals, [A50](#)

- nonchemical (physical), [A50](#)
- once-through systems, [A50](#)
- open recirculating systems, [A50](#)
- scale control, [A50](#)
- sprayed-coil units, [A50](#)
- steam and condensate systems, [A50](#)
- terminology, [A50](#)

Water use and management (*see* Energy and water use and management)

Water vapor control, [A45](#)

Water wells, [A35](#)

Wet-bulb globe temperature (WBGT), heat stress, [A32](#)

Whirlpools and spas

- Legionella pneumophila control, [A50](#)
- service water heating, [Sizing Water Heating Applications Using Older Data](#)

Wind, [A54](#)

- (*see also* Climatic design information)

- (*see also* Weather data)

- effect on

- smoke movement, [A54](#)

Wind restraint design, [A56](#)

- minimum design wind load, [A56](#)

Wireless sensors, [A63](#)

Wood products facilities, [A27](#)

- evaporative cooling, [A53](#)

- process area, [A27](#)

- storage, [A27](#)

Wood pulp, [A27](#)